

Using ryegrass heading dates on farm

Having paddocks of different heading dates can improve spring growth and late spring quality, and make management easier.


Advantage of early heading

Early heading ryegrasses (up to about +7 days) will continue to be widely used on NZ farms for their excellent late August and September growth, during what is often a critical feed pinch period.

Advantage of late heading

As ryegrass heading starts, stems begin to develop, fibre levels rise and metabolisable energy (ME) drops as illustrated below.


Late heading cultivars increase animal intake and performance in November by delaying the drop off in ME over standard heading cultivars.



Using heading dates on farm

For best results, farms need a mixture of heading dates. To help explain this we've drawn a model dairy farm with 14 paddocks below, in November

- the most critical month for pasture management as quality falls with heading, coupled with high growth rates. Late heading ryegrasses help feed animals well, as they maintain their feed quality and are preferentially grazed.



With surplus pasture it is also the time for making silage, and this is best done on standard heading paddocks (leaving late heading ryegrass for stock). Standard heading ryegrass can still make excellent silage (ME=11.5+), if it is cut at a herbage mass below 4000 kg DM/ha.

Copyright © 2012 New Zealand Agriseeds Limited.



specialtyseeds
NZ's INDEPENDENT SEED SUPPLIER

For more detailed product information please ring
0800 727 - 8873 or go to www.specseed.co.nz